Health Canada Santé Canada

*Your health and safety... our priority.* *Votre santé et votre sécurité... notre priorité.*

Established Maximum Residue Limit EMRL2011-17

# Trifloxystrobin

*(publié aussi en français)*

**24 March 2011**

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6604-E2
Ottawa, Ontario
K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada

ISSN: 1925-0827 (online)

Catalogue number: H113-29/2011-17E-PDF (PDF version)

**© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2011**

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has established maximum residue limits (MRLs) for trifloxystrobin in or on citrus fruit (revised Crop Group 10), black sapote, canistel, mamey sapote, mango, papaya, rice, sapodilla and star apple to permit the import and sale of foods containing such residues.

Corresponding maximum residue limits (MRLs) were proposed in the consultation document published on 5 October 2010, Proposed Maximum Residue Limit PMRL2010-40, *Trifloxystrobin*. The PMRA received no comments in response to this consultation.

To comply with Canada's international trade obligations, consultation on the proposed MRLs was also conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada. No comments were received as a result of the World Trade Organization consultation.

The following MRLs take legal effect as of the publication date of this document and are in addition to the MRLs already established for trifloxystrobin.

**Established Maximum Residue Limits for Trifloxystrobin**

| Common Name | Residue Definition | MRL (ppm) | Food Commodity |
|---|---|---|---|
| Trifloxystrobin | methyl (α,*E*)-α-(methoxyimino)-2-[[[(*E*)-[1-[3-(trifluoromethyl)phenyl] ethylidene]amino]oxy]methyl]benzene acetate, including the metabolite (α,*E*)-α-(methyoxyimino)-2-[[[(*E*)-[1-[3-(trifluromethyl)phenyl]ethylidene] amino]oxy]methyl]benzene acetic acid, expressed as trifloxystrobin | 38 | Citrus oil |
| | | 3.5 | Rice |
| | | 0.7 | Black sapotes, canistels, mamey sapotes, mangoes, papayas, sapodillas, star apples |
| | | 0.6 | Citrus fruit (revised Crop Group 10) |

MRLs are established for each commodity included in the revised citrus fruit crop group in accordance with Appendix I.

A complete list of all pesticide MRLs established in Canada can be found on the Maximum Residue Limits for Pesticides webpage in the Pesticides and Pest Management section of Health Canada's website.

# Appendix I

**Crop Groups: Numbers and Definitions**

| Crop Group Number | Crop Group Name | Food Commodities Included in the Crop Group |
|---|---|---|
| 10 | Citrus fruit (revised) | Australian desert limes<br>Australian finger limes<br>Australian round limes<br>Brown River finger limes<br>Calamondins<br>Citrus citron<br>Citrus hybrids<br>Grapefruits<br>Japanese summer grapefruits<br>Kumquats<br>Lemons<br>Limes<br>Mediterranean mandarins<br>Mount White limes<br>New Guinea wild limes<br>Oranges<br>Pummelos<br>Russell River limes<br>Satsuma mandarins<br>Sweet limes<br>Tachibana oranges<br>Tahiti limes<br>Tangelos<br>Tangerines<br>Tangors<br>Trifoliate oranges<br>Uniq fruits |